



ZAP Scanning Website BBPP Kupang Report

Site: <http://localhost>

Generated on Thu, 16 Mar 2023 22:44:45

Summary of Alerts

Risk Level	Number of Alerts
Medium	4
Low	6
Informational	4

Alerts

Name	Risk Level	Number of Instances
Absence of Anti-CSRF Tokens	Medium	57
Content Security Policy (CSP) Header Not Set	Medium	61
Missing Anti-clickjacking Header	Medium	56
Vulnerable JS Library	Medium	1
Big Redirect Detected (Potential Sensitive Information Leak)	Low	5
Cross-Domain JavaScript Source File Inclusion	Low	60
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	61
Server Leaks Version Information via "Server" HTTP Response Header Field	Low	87
Timestamp Disclosure - Unix	Low	56
X-Content-Type-Options Header Missing	Low	77
Information Disclosure - Suspicious Comments	Informational	67
Loosely Scoped Cookie	Informational	61
Modern Web Application	Informational	58
User Controllable HTML Element Attribute (Potential XSS)	Informational	1

Alert Detail

Medium	Absence of Anti-CSRF Tokens
	No Anti-CSRF tokens were found in a HTML submission form. A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL /form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a

Description	user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf. CSRF attacks are effective in a number of situations, including: * The victim has an active session on the target site. * The victim is authenticated via HTTP auth on the target site. * The victim is on the same local network as the target site. CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	<form class="form-search" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/bbpb-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bpsdmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/bbpb-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/bbpb-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET

Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpb-kupang
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/kunjungi-bbpb-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petani-peternak-dari-negara-timor-leste-bekerjasama-dengan-bbpb-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpb-kupang-tahun-2020
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	

Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/fungsional
Method	GET

Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	<form id="qp_form2162379" action="//www.poll-maker.com/results2162379xC2E541F3-61" method="post" target="_blank" style="display:inline;margin:0px;padding:0px">
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET

Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/kerjasama
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/pengaduan
Method	GET

Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=ZAP" method="get">
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/struktur-organisasi
Method	GET

Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	<form class="form-inline" action="http://localhost/newkupang/search-detail/hasil-pencarian?q=" method="get">
Instances	57
	Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. For example, use anti-CSRF packages such as the OWASP CSRFGuard. Phase: Implementation Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script. Phase: Architecture and Design Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).

Solution	Note that this can be bypassed using XSS. Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation. Note that this can be bypassed using XSS. Use the ESAPI Session Management control. This control includes a component for CSRF. Do not use the GET method for any request that triggers a state change. Phase: Implementation Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.
Reference	http://projects.webappsec.org/Cross-Site-Request-Forgery http://cwe.mitre.org/data/definitions/352.html
CWE Id	352
WASC Id	9
Plugin Id	10202

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://localhost/kerjasama-kediklatan
Method	GET
Attack	
Evidence	
URL	http://localhost/kerjasama-pelatihan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	

URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/kerjasama

Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET

Attack	
Evidence	
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktur-organisasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	
URL	http://localhost/qlinik-hewanq
Method	GET
Attack	
Evidence	
URL	http://localhost/robots.txt
Method	GET
Attack	
Evidence	
URL	http://localhost/sitemap.xml
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bppsdmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpb-kupang
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/kunjungi-bbpb-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petanipeternak-dari-negara-timor-leste-bekerjasama-dengan-bbpb-kupang-tanggal-6-11-

	mei-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpb-kupang-tahun-2020
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	
Instances	61
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header, to achieve optimal browser support: "Content-Security-Policy" for Chrome 25+, Firefox 23+ and Safari 7+, "X-Content-Security-Policy" for Firefox 4.0+ and Internet Explorer 10+, and "X-WebKit-CSP" for Chrome 14+ and Safari 6+.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html http://www.w3.org/TR/CSP/ http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html http://www.html5rocks.com/en/tutorials/security/content-security-policy/ http://caniuse.com/#feat=contentsecuritypolicy http://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038
Medium	Missing Anti-clickjacking Header

Description	The response does not include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options to protect against 'ClickJacking' attacks.
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpp-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bpsdmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpp-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpp-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpp-kupang
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/kunjungi-bbpp-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming

Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petanipeternak-dari-negara-timor-leste-bekerjasama-dengan-bbpp-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpp-kupang-tahun-2020
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpp-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-aset
Method	GET

Attack	
Evidence	
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/kerjasama
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	

URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktur-organisasi

Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	
Instances	56
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	Vulnerable JS Library
Description	The identified library jquery, version 3.4.0 is vulnerable.
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET

Attack	
Evidence	/*! jQuery v3.4.0
Instances	1
Solution	Please upgrade to the latest version of jquery.
Reference	https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
CWE Id	829
WASC Id	
Plugin Id	10003

Low	Big Redirect Detected (Potential Sensitive Information Leak)
Description	The server has responded with a redirect that seems to provide a large response. This may indicate that although the server sent a redirect it also responded with body content (which may include sensitive details, PII, etc.).
URL	http://localhost/newkupang
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/arsip-artikel-peternakan/default
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/arsip-berita/default
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/arsip-pengumuman/default
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pemanggilan-peserta/default
Method	GET
Attack	
Evidence	
Instances	5
Solution	Ensure that no sensitive information is leaked via redirect responses. Redirect responses should have almost no content.
Reference	
CWE Id	201
WASC Id	13
Plugin Id	10044

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	http://localhost/newkupang/

Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/bbpb-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bpsdmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/bbpb-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/bbpb-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpb-kupang
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?

Evidence	cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/kunjungi-bbpb-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petanipeternak-dari-negara-timor-leste-bekerjasama-dengan-bbpb-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpb-kupang-tahun-2020
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-hala
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>

URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	<script src="https://cdn2.woxo.tech/a.js#60e8625b490fb600158c0008" async data-usrc> </script>

URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	<script src="//scripts.poll-maker.com/3012/scpolls.js" language="javascript"></script>
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	<script type='text/javascript' src='https://www.freevisitorcounters.com/auth.php?id=e1b357950d6687a0031220f3f583f05527dcbd18'></script>
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://www.freevisitorcounters.com/en/home/counter/446317/t/6"></script>
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>

URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/kerjasama
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>

URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>

URL	http://localhost/newkupang/struktur-organisasi
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	<script type="text/javascript" src="https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit2"></script>
Instances	60
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017

Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)

Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/arsip-artikel-peternakan/default
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/arsip-berita/default
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/arsip-pengumuman/default
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/bbpps-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bpsdmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/bbpps-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
	http://localhost/newkupang/blog/bbpps-kupang-raih-penghargaan-sebagai-badan-publik-

URL	informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpp-kupang
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/kunjungi-bbpp-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petanipeternak-dari-negara-timor-leste-bekerjasama-dengan-bbpp-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpp-kupang-tahun-2020
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal

Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/galeri-foto

Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/kerjasama
Method	GET

Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/pemanggilan-peserta/default
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	

Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/struktur-organisasi
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25

URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	X-Powered-By: PHP/8.0.25
Instances	61
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200
WASC Id	13
Plugin Id	10037

Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	http://localhost/kerjasama-kediklatan
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/kerjasama-pelatihan
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET

Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/arsip-artikel-peternakan/default
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/arsip-berita/default
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/arsip-pengumuman/default
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/bbpb-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bppsdp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/bbpb-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/bbpb-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpb-kupang
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
	http://localhost/newkupang/blog/kunjungi-bbpb-kupang-mahasiswa-universitas-pertahanan-

URL	pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petanipeternak-dari-negara-timor-leste-bekerjasama-dengan-bbpp-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpp-kupang-tahun-2020
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpp-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676

Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/home
Method	GET

Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/kerjasama
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/link-web
Method	GET
Attack	

Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/pemanggilan-peserta/default
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25

URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/struktur-organisasi
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/css/style.css
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/img/logi.png
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/img/logo.png
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/js/main.js
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/svg/app.svg

Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/svg/ip.svg
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/svg/news.svg
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/svg/web.svg
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/aos/aos.css
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/aos/aos.js
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/bootstrap-icons/bootstrap-icons.css
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/bootstrap/css/bootstrap.min.css
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/bootstrap/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/boxicons/css/boxicons.min.css
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25

URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/glightbox/css/glightbox.min.css
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/glightbox/js/glightbox.min.js
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/isotope-layout/isotope.pkgd.min.js
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/php-email-form/validate.js
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/swiper/swiper-bundle.min.css
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/swiper/swiper-bundle.min.js
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/qlinik-hewanq
Method	GET
Attack	

Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/robots.txt
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
URL	http://localhost/sitemap.xml
Method	GET
Attack	
Evidence	Apache/2.4.54 (Win64) OpenSSL/1.1.1p PHP/8.0.25
Instances	87
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	http://httpd.apache.org/docs/current/mod/core.html#servertokens http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007 http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	200
WASC Id	13
Plugin Id	10036

Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server - Unix
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/bbpps-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bpsdmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	1666191676

URL	http://localhost/newkupang/blog/bbpp-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/bbpp-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpp-kupang
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/kunjungi-bbpp-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petanipeternak-dari-negara-timor-leste-bekerjasama-dengan-bbpp-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpp-kupang-tahun-2020
Method	GET
Attack	
Evidence	1666191676
	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-

URL	wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	1666191676

URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/kerjasama

Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET

Attack	
Evidence	1666191676
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/struktur-organisasi
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	1666191676
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	

Evidence	1666191676
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	1666191676
Instances	56
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	http://projects.webappsec.org/w/page/13246936/Information%20Leakage
CWE Id	200
WASC Id	13
Plugin Id	10096

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpps-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bpps-dmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpps-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpb-kupang
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/kunjungi-bbpb-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petani-peternak-dari-negara-timor-leste-bekerjasama-dengan-bbpb-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpb-kupang-tahun-2020
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	

URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-hala
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	

URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/kerjasama

Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET

Attack	
Evidence	
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktur-organisasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/css/style.css
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/img/logi.png
Method	GET

Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/img/logo.png
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/js/main.js
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/svg/app.svg
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/svg/ip.svg
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/svg/news.svg
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/svg/web.svg
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/aos/aos.css
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/aos/aos.js
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/bootstrap-icons/bootstrap-icons.css
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/bootstrap/css/bootstrap.min.css
Method	GET

Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/bootstrap/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/boxicons/css/boxicons.min.css
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/glightbox/css/glightbox.min.css
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/glightbox/js/glightbox.min.js
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/isotope-layout/isotope.pkgd.min.js
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/php-email-form/validate.js
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/swiper/swiper-bundle.min.css
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/swiper/swiper-bundle.min.js
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	

URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	
Instances	77
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/bbpb-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bppsdmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	select

URL	http://localhost/newkupang/blog/bbpp-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/bbpp-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpp-kupang
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/kunjungi-bbpp-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petani-peternak-dari-negara-timor-leste-bekerjasama-dengan-bbpp-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpp-kupang-tahun-2020
Method	GET
Attack	
Evidence	select
	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-

URL	wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET
Attack	
Evidence	from
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET
Attack	
Evidence	user
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET
Attack	
Evidence	username
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET
Attack	
Evidence	where
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	select

URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/informasi-serta-merta

Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/kerjasama
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET

Attack	
Evidence	select
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/struktur-organisasi
Method	GET
Attack	

Evidence	select
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/js/main.js
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/bootstrap/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/glightbox/js/glightbox.min.js
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/isotope-layout/isotope.pkgd.min.js
Method	GET
Attack	
Evidence	from
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/php-email-form/validate.js
Method	GET
Attack	
Evidence	from
URL	http://localhost/newkupang/themes/bbpp-kupang/assets/vendor/swiper/swiper-bundle.min.js
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	

Evidence	select
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	select
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	select
Instances	67
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	200
WASC Id	13
Plugin Id	10027

Informational	Loosely Scoped Cookie
Description	Cookies can be scoped by domain or path. This check is only concerned with domain scope. The domain scope applied to a cookie determines which domains can access it. For example, a cookie can be scoped strictly to a subdomain e.g. www.nottrusted.com, or loosely scoped to a parent domain e.g. nottrusted.com. In the latter case, any subdomain of nottrusted.com can access the cookie. Loosely scoped cookies are common in mega-applications like google.com and live.com. Cookies set from a subdomain like app.foo.bar are transmitted only to that domain by the browser. However, cookies scoped to a parent-level domain may be transmitted to the parent, or any subdomain of the parent.
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/arsip-artikel-peternakan/default
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/arsip-berita/default
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/arsip-pengumuman/default
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bpsdmp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpb-kupang
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/kunjungi-bbpb-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petani-peternak-dari-negara-timor-leste-bekerjasama-dengan-bbpb-kupang-tanggal-6-11-

	mei-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpb-kupang-tahun-2020
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET

Attack	
Evidence	
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/forum
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/kerjasama
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pemanggilan-peserta/default
Method	GET
Attack	
Evidence	

URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktur-organisasi

Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	
Instances	61
Solution	Always scope cookies to a FQDN (Fully Qualified Domain Name).
Reference	https://tools.ietf.org/html/rfc6265#section-4.1 https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html http://code.google.com/p/browsersec/wiki/Part2#Same-origin_policy_for_cookies
CWE Id	565
WASC Id	15
Plugin Id	90033

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	http://localhost/newkupang/
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/alumni-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/alumni-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/berita-terbaru
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-adakan-sosialisasi-hasil-evaluasi-rapim-b-lingkup-bppsdp-tanggal-15-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-gelar-training-trainer-tot-gerakan-tani-pro-organik-genta-organik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/bbpb-kupang-raih-penghargaan-sebagai-badan-publik-informatif-versi-komisi-informasi-provinsi-ntt
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/berkinerja-terbaik-kementan-beri-apresiasi-dua-insan-pertanian-bbpb-kupang
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/ib-inseminasi-buatan-sertifikasi

Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/kunjungi-bbpb-kupang-mahasiswa-universitas-pertahanan-pelajari-konsep-smart-integrated-farming
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-pengolahan-hasil-ternak-bagi-petanipeternak-dari-negara-timor-leste-bekerjasama-dengan-bbpb-kupang-tanggal-6-11-mei-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pelatihan-teknis-tematik-bagi-non-aparatur-di-p4s-tenda-pajo-lembor-manggarai-barat-dari-tanggal-9-11-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/pendaftaran-untuk-pelatihan-1-juta-penyuluh-dan-petani
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/rekrutmen-calon-peserta-sertifikasi-profesi-tuk-mandiri-bbpb-kupang-tahun-2020
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/seleksi-calon-fasilitator-desa-program-readsi-tes-tpa-dan-wawancara-di-laksanakan-tanggal-18-19-juni-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sertifikasi-juleha-juru-sembelih-halal
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pembentukan-koperasi-baru-bbpb-kupang-tanggal-10-april-2019
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/blog/sosialisasi-pencegahan-dan-pemberantasan-penyalahgunaan-dan-peredaran-gelap-narkotika-p4gn
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/combine/553345d1a0e37384766fe93f2c0c6fd2-1666191676
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-aset
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/daftar-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/diklat-non-aparatur
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/forum
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/fungsional
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/galeri-foto
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/galeri-video
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/guest-house
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/home
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-berkala
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-serta-merta
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/informasi-setiap-saat
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/informasi-yang-dikecualikan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/instalasi-ternak
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/interaktif
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/kerjasama
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/komitmen-keterbukaan-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/laboratorium
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/link-web
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/motto-visi-dan-misi
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/pengadaan-barangjasa
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/pengaduan
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/prestasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/profil-sdm-balai
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/sejarah-singkat
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/sertifikasi
Method	GET
Attack	

Evidence	
URL	http://localhost/newkupang/standar-pelayanan-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/statistik-sdm
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktur-organisasi
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/struktural
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-informasi-publik
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/tentang-kami
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/themes/bbpb-kupang/assets/vendor/glightbox/js/glightbox.min.js
Method	GET
Attack	
Evidence	'+'
URL	http://localhost/newkupang/tugas-dan-fungsi
Method	GET
Attack	
	<a href="#" onclick="doGTranslate('id en');return false;" title="English" class="gflag nturl"

Evidence	style="background-position:-0px -0px;">
URL	http://localhost/newkupang/wilayah-kerja
Method	GET
Attack	
Evidence	
URL	http://localhost/newkupang/wismaasrama
Method	GET
Attack	
Evidence	
Instances	58
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://localhost/newkupang/search-detail/hasil-pencarian?q&q=ZAP
Method	GET
Attack	
Evidence	
Instances	1
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	http://websecuritytool.codeplex.com/wikipage?title=Checks#user-controlled-html-attribute
CWE Id	20
WASC Id	20
Plugin Id	10031